

71-98 ✓

81-341

UNITED STATES DISTRICT COURT

MIDDLE DISTRICT OF LOUISIANA

1994 MAY 12 AM 11: 24


IN RE JAIL POPULATION - ORLEANS PARISH


THOMAS E. MARTIN
CLERKSTIPULATION AND CONSENT DECREE

IT IS HEREBY AGREED AND STIPULATED that the maximum number of inmates which shall be housed in the Phase II facility shall be 936 as per Exhibit "A" attached hereto.

IT IS HEREBY AGREED AND STIPULATED that the maximum number of inmates which shall be housed in the Phase III shall be 1205 as per Exhibit "B" attached hereto.


Metairie, Louisiana, this 12th day of May, 1994.


CHARLES C. FOTI, JR.
CRIMINAL SHERIFF, ORLEANS PARISH


ATTORNEY FOR SHERIFF FOTI

IT IS ORDERED that the foregoing stipulation be and it is hereby approved as the order of this Court.

Baton Rouge, Louisiana, this 12 day of May, 1994.


UNITED STATES DISTRICT JUDGE

Dkt. & ENTERED

DATE

NOTICE MAILED TO:

DATE 5-12-94

Cnsl 22

ACTION	SEARCHED	INDEXED
PROCESSED		6775
CHARGED	PU	6008

ATTACHMENT A: BREAKDOWN OF INMATE POPULATION LIMITS:**PHASE II**

FIRST FLOOR:	A-1	39
	A-2	39
	A-3	39
	A-4	<u>39</u>
	Total	156

B-1	39
B-2	39
B-3	39
B-4	<u>39</u>
Total	156

SECOND FLOOR:	C-1	39
	C-2	39
	C-3	39
	C-4	<u>39</u>
	Total	156

D-1	39
D-2	39
D-3	39
D-4	<u>39</u>
Total	156

THIRD FLOOR:	E-1	39
	E-2	39
	E-3	39
	E-4	<u>39</u>
	Total	156

F-1	39
F-2	39
F-3	39
F-4	<u>39</u>
Total	156

TOTAL: 936

PHASE II

Watch Commander (1)

Asst. Watch Commander (1)

1st FLOOR:

A. Control Module Deputies (2)

B. Control Module Deputies (2)

2nd FLOOR:

C. Control Module Deputies (2)

D. Control Module Deputies (2)

3rd FLOOR

E. Control Module Deputies (2)

F. Control Module Deputies (2)

ATTACHMENT A: BREAKDOWN OF INMATE POPULATION LIMITS:**PHASE III**

FIRST FLOOR:	A-1	40
	A-2	36
	A-3	40
	A-4	<u>36</u>
	Total	152

B-1	40
B-2	36
B-3	40
B-4	<u>36</u>
Total	152

C-1	40
C-2	36
C-3	40
C-4	<u>36</u>
Total	152

D-1	40
D-2	36
D-3	40
D-4	<u>36</u>
Total	152

SECOND FLOOR:	E-1	36
	E-2	32
	E-3	36
	E-4	<u>40</u>
	Total	144

F-1	36
F-2	32
F-3	40
F-4	<u>36</u>
Total	144

G-1	40
G-2	36
G-3	40
G-4	<u>36</u>
Total	152

H-1	40
H-2	36
H-3	40
H-4	36
Total	152

ISOLATION CELLS - 4

MEDICAL HOLDING CELL - 1

TOTAL: 1205

PHASE III

Warden (1)

Watch Commander (1)

Asst. Watch Commander (1)

1st FLOOR:

A. Control Module Deputies (2)

B. Control Module Deputies (2)

C. Control Module Deputies (2)

D. Control Module Deputies (2)

2nd FLOOR

E. Control Module Deputies (2)

F. Control Module Deputies (2)

G. Control Module Deputies (2)

H. Control Module Deputies (2)



MAY 12 '94 10:01AM USRY & WEEKS

P.9/15

STATE OF LOUISIANA

OFFICE OF STATE FIRE MARSHAL

INSPECTION REPORT

This inspection is intended for your safety and the safety of the citizens of Louisiana. Your cooperation is greatly appreciated.

PLEASE PRINT

STRUCTURE ID.	OCCUPANCY	EXT.	PARISH	BLDG.	STORIES	# INSP.	BADGE	SCHED INSP. DATE	INSP. TYPE	ACT. INSP. DATE	BEGIN TIME
	14	NO	36	01	03	3	87		GE	9/20/93	
CONST. TYPE	FACILITY CODE	PROJECT ID.	PROJ. TYPE	PARTL COMP NONE				GAS CERT:		CAPACITY	
II(322)				SMOKE DET ☐ ☒ ☐				ELECT CERT:		936	
CROSS REFERENCE		YEAR BUILT	SQ. FOOTAGE	AUTO SPRK ☒ ☐ ☐				FIRE DRILL:		BLDG. POWER	
				FIRE ALARM ☐ ☒ ☐						GAS ☐ ELECT ☐	

TRADE				OWNER			
NAME				NAME			
TEMPLEMEIN				NEW ORLEANS SHERIFF'S OFFICE			
ADDRESS				ADDRESS			
2928 PERDIDO STREET BUILDING #2				2800 GRAVIER STREET			
CITY				CITY			
NEW ORLEANS				NEW ORLEANS			
STATE				STATE			
LA				LA			
ZIP				ZIP			
70119				70112			
PHONE				PHONE			
(504) 827-8585				(504) 822-8000			

CODE SECTION	REQUIREMENTS (LIST CODE VIOLATIONS)	CORRECTION DATE
--------------	-------------------------------------	-----------------

NOTE: INSPECTION REPORT IS FOR COURT CONSENT DECREE FOR THE ABOVE FACILITY.

1st floor: 2nd floor: 3rd floor:

Tier A-1 -- 30	Tier C-1 -- 39	Tier E-1 -- 39
Tier A-2 -- 39	Tier C-2 -- 39	Tier E-2 -- 39
Tier A-3 -- 30	Tier C-3 -- 30	Tier E-3 -- 39
Tier A-4 -- 39	Tier C-4 -- 39	Tier E-4 -- 39
Totals 156	156	156

Tier B-1 -- 39	Tier D-1 -- 39	Tier F-1 -- 39
Tier B-2 -- 39	Tier D-2 -- 39	Tier F-2 -- 39
Tier B-3 -- 39	Tier D-3 -- 39	Tier F-3 -- 39
Tier B-4 -- 39	Tier D-4 -- 39	Tier F-4 -- 39
Totals 156	156	156

TOTAL FOR 1st, 2nd, 3rd floors -- 036 inmates

I hereby certify that this is a true report as a result of my inspection.

PRINT NAME OF INSPECTOR	BADGE	CC:
Robert A. Chauvin, Jr.	087	ACTION: ☐ AT1 ☐ AT2 ☐ ATC ☐ ATF ☐ LL ☐ LLN

Signature and Title of person to whom requirements were explained.

SIGNATURE OF INSPECTOR	TIME OUT
<i>Robert A. Chauvin, Jr.</i>	

RS. 40:1621 Whoever fails to comply with any order issued by the Fire Marshal or his authorized representative under any provision of Part III, Chapter 7, of Title 40 of the Louisiana Revised Statutes of 1950, RS. 40:1569 excepted, shall be fined not more than five hundred dollars or imprisoned, for not more than six months or both. Each day's violation of an order constitutes a separate offense and may be punished as such at the discretion of the court.

SEE REVERSE SIDE OF ORDER FOR RIGHTS OF APPEAL

OWNER'S COPY

STATE OF LOUISIANA
OFFICE OF STATE FIRE MARSHAL

This inspection is intended for your safety and the safety of the citizens of Louisiana. Your cooperation is greatly appreciated.

PLEASE PRINT

STRUCTURE ID. F 30822	OCCUPANCY 14	EXT. NO	PARISH 36	BLDGS. 1	STORIES 3	* INSP. 1	BADGE 87	SCHED. INSP. DATE	INSP. TYPE FI	ACT. INSP. DATE 9/20/93	BEGIN TIME
CONST. TYPE REPAIR	FACILITY CODE J 219	PROJECT ID. P0067652	PROJ. TYPE	SMOKE DET ☐ ☒ ☐			PARTL. COMP NONE ☐ ☒ ☐			CAPACITY	
CROSS REFERENCE F-332)	YEAR BUILT	SQ. FOOTAGE	AUTO SPRK ☒ ☐ ☐			GAS CERT: _____			BLDG. POWER		
			FIRE ALARM ☐ ☒ ☐			ELECT CERT: _____			GAS ☐ ELECT. ☐		
						FIRE DRILL: _____					

TRADE		OWNER	
NAME	TEMPERATURE PHASE 2	NAME	Deerlin Park Shell's Office
ADDRESS	2928 PHILIP ST.	ADDRESS	2300 GARY ST.
CITY	New Orleans	CITY	N.O.
STATE	LA.	STATE	LA.
ZIP	70119	ZIP	70119
PHONE	(504) 827-8585	PHONE	(504) 822-8000

[illegible]

I hereby certify that this is a true report as a result of my inspection.

PRINT NAME OF INSPECTOR

BADGE

Signature and Title of person to whom requirements were explained

OFFICE USE

cc:

ACTION: ☐ AT: ☐ AT2 ☐ ATC ☐ ATF ☐ LL ☐ LLN

☐ LLY ☒ CC ☐ DE ☐ FC ☐ RL ☐ OTHER

SIGNATURE OF INSPECTOR

TIME OUT

RS. 40:1621 Whoever fails to comply with any order issued by the Fire Marshal or his authorized representative under any provision of Part III, Chapter 7, of Title 40 of the Louisiana Revised Statutes of 1950, R.S. 40:1569 excepted, shall be fined not more than five hundred dollars or imprisoned, for not more than six months or both. Each day's violation of an order constitutes a separate offense and may be punished as such at the discretion of the court.

SEE REVERSE SIDE OF ORDER FOR RIGHTS OF APPEAL

STATE OF LOUISIANA
OFFICE OF STATE FIRE MARSHAL

INSPECTION REPORT

This inspection is intended for your safety and the safety of the citizens of Louisiana. Your cooperation is greatly appreciated.

PLEASE PRINT

STRUCTURE ID.	OCCUPANCY	EXT.	PARISH	BLDGS.	STORIES	INSP.	BADGE	SCHED. INSP. DATE	INSP. TYPE	ACT. INSP. DATE	BEGIN TIME
	29	NO	36	1	1	1	37		F-I	9/20/93	
CONST. TYPE	FACILITY CODE	PROJECT ID.	PROJ. TYPE	PARTL. COMP. NONE				CAPACITY			
TPK		P0082714		SMOKE DET	☐	☐	☒	GAS CERT: _____			
CROSS REFERENCE	YEAR BUILT	SQ. FOOTAGE	AUTO SPRK	☐	☐	☒	ELECT. CERT: _____				
			FIRE ALARM	☐	☐	☒	FIRE DRILL: _____				
			BLDG. POWER		GAS ☐ ELECT. ☐						

TRADE		OWNER	
NAME TEMPLEMAN Phase II	NAME OCEANS PROSPECT SHIPPS OFFICE		
ADDRESS 2928 PARDON ST.	ADDRESS 2800 GARDNER ST.		
CITY N.O.	CITY N.O.	STATE LA	STATE LA
ZIP 70119	ZIP 70119	PHONE (504) 822-5585	PHONE (504) 822-8000

[illegible]

I hereby certify that this is a true report as a result of my inspection.

PRINT NAME OF INSPECTOR

BADGE

Signature and Title of person to whom requirements were explained.

OFFICE USE

CC:

ACTION: ☐ AT1 ☐ AT2 ☐ ATC ☐ ATF ☐ LL ☐ LLN

☐ LU ☒ CC ☐ DE ☐ FC ☐ RL ☐ OTHER

SIGNATURE OF INSPECTOR

TIME OUT



STATE OF LOUISIANA OFFICE OF STATE FIRE MARSHAL

INSPECTION REPORT

This inspection is intended for your safety and the safety of the citizens of Louisiana. Your cooperation is greatly appreciated.

PLEASE PRINT

STRUCTURE ID	OCCUPANCY 14	EXT. NO	PARISH 36	BLOGS 1	STORIES 04	INSPECTION 1	BADGE 087	SCHED. INSP. DATE	INSP. TYPE GE	ACT. INSP. DATE 8/16/93	BEGIN TIME
CONST. TYPE II (322)	FACILITY CODE	PROJECT ID	PROJ. TYPE	PARTL. COMP NONE		SMOKE DET ☐ ☒ ☐		GAS CERT: _____		CAPACITY 1205	
CROSS REFERENCE	YEAR BUILT	SQ. FOOTAGE		AUTO SPRK ☒ ☐ ☐		FIRE ALARM ☐ ☒ ☐		ELECT CERT: _____		BLDG. POWER GAS ☐ ELECT. ☐	

TRADE

OWNER

NAME TEMPLEMAN	NAME NEW ORLEANS SHERIFF'S OFFICE
ADDRESS 2923 PERDIDO STREET BUILDING #3	ADDRESS 2800 GRAVIER STREET
CITY NEW ORLEANS	CITY NEW ORLEANS
STATE LA	STATE LA
ZIP ()	ZIP ()
PHONE ()	PHONE ()

CODE SECTION	REQUIREMENTS (LIST CODE VIOLATIONS)	CORRECTION DATE
NOTE:	INSPECTION REPORT IS FOR COURT CONSENT DECREE FOR THE ABOVE FACILITY.	

MODULE A; TIER 1--40	MODULE B; TIER 1--40	MODULE C; TIER 1--40	MODULE D; TIER 1--40
TIER 2--36	TIER 2--36	TIER 2--36	TIER 2--36
TIER 3--40	TIER 3--40	TIER 3--40	TIER 3--40
TIER 4--36	TIER 4--36	TIER 4--36	TIER 4--36
TOTAL 152	TOTAL 152	TOTAL 152	TOTAL 152

MODULE E; TIER 1--36	MODULE F; TIER 1--36	MODULE G; TIER 1--40	MODULE H; TIER 1--40
TIER 2--32	TIER 2--32	TIER 2--36	TIER 2--36
TIER 3--36	TIER 3--40	TIER 3--40	TIER 3--40
TIER 4--40	TIER 4--36	TIER 4--36	TIER 4--36
TOTAL 144	TOTAL 144	TOTAL 152	TOTAL 152

ISOLATION CELLS--4	MEDICAL HOLDING CELL--1
--------------------	-------------------------

TOTAL FOR MODULES A,B,C,D,E,F,G,H----1200 inmates plus isolation cells---04 plus medical cell--01

TOTAL FOR ABOVE FACILITY 1205 inmates

I hereby certify that this is a true report as a result of my inspection.

OFFICE USE

PRINT NAME OF INSPECTOR Robert A. Chauvin, Jr.	BADGE 337	CC: _____
Signature and Title of person to whom requirements were explained.		ACTION: ☐ AT1 ☐ AT2 ☐ ATC ☐ ATF ☐ LL ☐ LLN
		☐ LLT ☐ CC ☐ DE ☐ FC ☐ RL ☐ OTHER _____
SIGNATURE OF INSPECTOR		TIME OUT

STATE OF LOUISIANA
OFFICE OF STATE FIRE MARSHAL

INSPECTION REPORT

This inspection is intended for your safety and the safety of the citizens of Louisiana. Your cooperation is greatly appreciated.

PLEASE PRINT

STRUCTURE ID. I 21041	OCCUPANCY 14	EXT. 36	PARISH 1	BLDGS. 3	STORIES 3	* INSP. 87	BADGE 87	SCHED. INSP. DATE	INSP. TYPE Fi	ACT. INSP. DATE 8-16-93	BEGIN TIME
CONST. TYPE 1332	FACILITY CODE J-219	PROJECT ID. Per 23803	PROJ. TYPE	PARTL. COMP NONE		CAPACITY					
CROSS REFERENCE 1988 Ed. BDN		YEAR BUILT 1993	SQ. FOOTAGE	SMOKE DET.	☐	☒	☐	GAS CERT: _____			
				AUTO SPRK	☒	☐	☐	ELECT CERT: _____			
				FIRE ALAM	☐	☒	☐	FIRE DRILL: _____			
							BLDG. POWER GAS ☒ ELECT. ☒				

TRADE		OWNER	
NAME TEHIPLEMAN - PHASE-3 - BLDG	NAME ORLEANS PARISH SHERIFFS OF.	NAME TEHIPLEMAN - PHASE-3 - BLDG	NAME ORLEANS PARISH SHERIFFS OF.
ADDRESS 2929 PERDIDO ST.	ADDRESS 2800 PERDIDO ST	ADDRESS 2929 PERDIDO ST.	ADDRESS 2800 PERDIDO ST
CITY N.O.	CITY N.O.	CITY N.O.	CITY N.O.
STATE LA	STATE LA	STATE LA	STATE LA
ZIP 70119	ZIP 70119	ZIP 70119	ZIP 70119
PHONE ()	PHONE ()	PHONE ()	PHONE ()

[illegible]

herby certify that this is a true report as a result of my inspection.

OFFICE USE

PRINT NAME OF INSPECTOR

BADGE

CC:

ACTION: ☐ AT1 ☒ AT2 ☐ ATC ☐ ATF ☐ LL ☐ LLN

Signature and Title of person to whom requirements were explained.

☒ LIT ☐ CC ☐ DE ☐ FC ☒ RL ☐ OTHER

SIGNATURE OF INSPECTOR

TIME OUT

RS. 40:1561 Whoever fails to comply with any order issued by the Fire Marshal or his authorized representative under any provision of Part III, Chapter 7, of Title 40 of the Louisiana Revised Statutes of 1950, R.S. 40:1569 excepted, shall be fined not more than five hundred dollars or imprisoned, for not more than six months or both. Each day's violation of an order constitutes a separate offense and may be punished as such at the discretion of the court.

SEE REVERSE SIDE OF ORDER FOR RIGHTS OF APPEAL

MAY 12 1994 10:04AM USRY
STATE OF LOUISIANA
OFFICE OF STATE FIRE MARSHAL

INSPECTION REPORT

This inspection is intended for your safety and the safety of the citizens of Louisiana. Your cooperation is greatly appreciated.

PLEASE PRINT

STRUCTURE ID.	OCCUPANCY	EXT.	PARISH	BLDG.	STORIES	* INSP.	BADGE	SCHED. INSP. DATE	INSP. TYPE	ACT. INSP. DATE	BEGIN TIME	
	14	N	36	1	3	1	87		F1	8/10/93		
CONST. TYPE	FACILITY CODE	PROJECT ID.	PROJ. TYPE	SMOKE DET			PARTL. COMP. NONE			CAPACITY		
11		P0059263		☐ ☒ ☐			☐ ☒ ☐					
CROSS REFERENCE		YEAR BUILT	SQ. FOOTAGE		AUTO SPRK			ELECT. CERT.			BLDG. POWER	
1988 EDI770		1993			☐ ☒ ☐			☐ ☒ ☐			GAS ☒ ELECT ☒	
				FIRE ALARM			FIRE DRILL					
				☐ ☒ ☐			☐ ☒ ☐					

TRADE		OWNER	
NAME Templeman - Phase III Bldg.	NAME Orleans Parish Sheriff's Office	NAME Orleans Parish Sheriff's Office	NAME Orleans Parish Sheriff's Office
ADDRESS 2924 Perdido St.	ADDRESS 2900 Perdido St.	ADDRESS 2900 Perdido St.	ADDRESS 2900 Perdido St.
CITY New Orleans	CITY New Orleans	CITY New Orleans	CITY New Orleans
STATE LA.	STATE LA.	STATE LA.	STATE LA.
ZIP 70119	ZIP 70119	ZIP 70119	ZIP 70119
PHONE (504) 822-8000	PHONE (504) 822-8000	PHONE (504) 822-8000	PHONE (504) 822-8000

CODE SECTION	REQUIREMENTS (LIST CODE VIOLATIONS)	CORRECTION DATE
	New Construction - Phase III Building.	
	No Apparent Violations	
	Accepted as Temporary.	
NOTE:	Owner shall implement policies and procedures per their existing Policy to ensure proper compliance.	

I hereby certify that this is a true report as a result of my inspection

OFFICE USE

PRINT NAME OF INSPECTOR <i>Robert J. ...</i>		BADGE <i>27</i>	CC: ACTION: ☐ AT1 ☐ AT2 ☐ ATC ☐ ATF ☐ LL ☐ LLN ☐ LLY ☐ CC ☐ DE ☐ FC ☐ PL ☐ OTHER
Signature and Title of person to whom requirements were explained. <i>[Signature]</i>		SIGNATURE OF INSPECTOR <i>[Signature]</i>	TIME OUT

R.S. 40:1621 Whoever fails to comply with any order issued by the Fire Marshal or his authorized representative under any provision of Part III, Chapter 7, of Title 40 of the Louisiana Revised Statutes of 1950, R.S. 40:1609 excepted, shall be fined not more than five hundred dollars or imprisoned, for not more than six months or both. Each day's violation of an order constitutes a separate offense and may be punished as such at the discretion of the court.

SEE REVERSE SIDE OF ORDER FOR RIGHTS OF APPEAL



INSPECTION REPORT

This inspection is intended for your safety and the safety of the citizens of Louisiana. Your cooperation is greatly appreciated.

PLEASE PRINT

STRUCTURE ID. 1030623		OCCUPANCY 14		EXT. 10		PARISH 35		BLDG. 012		STORIES 004		INSP. 087		BADGE 10/31/92		SCHEO. INSP. DATE FT 10		INSP. TYPE 09/5/93		ACT. INSP. DATE		BEGIN TIME	
CONST. TYPE		FACILITY CODE J0000219		PROJECT ID.		PROJ. TYPE		SMOKE DET ☐		PARTL. COMP NONE ☒		CAPACITY		GAS CERT: <u> / / </u>		ELECT CERT: <u> / / </u>		FIRE DRILL: <u> / / </u>		BLDG. POWER GAS ☒ ELECT ☒			
CROSS REFERENCE 00000000		YEAR BUILT		SQ. FOOTAGE		AUTO SPRK ☒		FIRE ALAM ☒															

1988 Edition	TRADE	OWNER
NAME	TEMPLEMAN	NAME
ADDRESS	2923 PERDUE ST	ADDRESS
CITY	NEW ORLEANS	CITY
STATE	LA	STATE
ZIP	70113	ZIP
PHONE	(504) 827-3535	PHONE

[illegible]

I hereby certify that this is a true report as a result of my inspection.		OFFICE USE	
PRINT NAME OF INSPECTOR <i>Robert J. Williams Sr.</i>	BADGE <i>97</i>	CC: _____	
Signature and Title of person to whom requirements were explained. <i>[Signature]</i>		ACTION: ☐ AT1 ☐ AT2 ☐ ATC ☐ ATF ☐ LL ☐ LLN	
		☐ LLT ☐ CC ☐ DE ☒ FC ☐ RL ☐ OTHER _____	
SIGNATURE OF INSPECTOR <i>Robert J. Williams Sr.</i>		TIME OUT _____	

RS. 40:1621 Whoever fails to comply with any order issued by the Fire Marshal or his authorized representative under any provision of Part III, Chapter 7 of Title 40 of the Louisiana Revised Statutes of 1950, RS. 40:1569 excepted, shall be fined not more than five hundred dollars or imprisoned, for more than six months or both. Each day's violation of an order constitutes a separate offense and may be punished as such at the discretion of the court.

OWNER'S COPY



JC-LA-0004-0004